



DRIVE SHAFT ORDER FORM

MEASURE FOR U-JOINT SIZE AT THIRD MEMBER YOKE



- | | |
|------------------------------------|-----------------------------------|
| <input type="checkbox"/> E=3-7/32 | <input type="checkbox"/> D=1-1/16 |
| <input type="checkbox"/> E=3-5/8 | <input type="checkbox"/> D=1-1/16 |
| <input type="checkbox"/> E=3-5/8 | <input type="checkbox"/> D=1-1/8 |
| <input type="checkbox"/> E=3-5/8 | <input type="checkbox"/> D=1-3/16 |
| <input type="checkbox"/> E=4-3/16 | <input type="checkbox"/> D=1-3/16 |
| <input type="checkbox"/> E=4-3/16 | <input type="checkbox"/> D=1-3/8 |
| <input type="checkbox"/> E=4-31/32 | <input type="checkbox"/> D=1-3/8 |



SOME CHRYSLER CORP.

- A=2-1/8
- A=2-5/8

SOME GENERAL MOTORS


- A=2-9/16

THESE DIMENSIONS MUST BE ACCURATE. IF YOU DON'T GET THEM, CHECK FOR WEAR AT "E" OR "A"

You must supply your own slip joint with this order. Exact measurements are a must. We will build to your measurements – so if you are wrong – it is Your problem. If we make a mistake, we will make good and remake.

ONE PIECE SHAFT *

TRANSMISSION MAKE & MODEL _____ DIFFERENTIAL MAKE & MODEL _____



- PUSH SLIP JOINT ALL THE WAY ON TO THE OUTPUT SHAFT. THEN PULL OUT TO A MAXIMUM DISTANCE OF 1 INCH.
- MEASURE FROM THE CENTRE OF THE HOLE IN THE SLIP JOINT TO THE CENTERLINE OF U-JOINT OF THE THIRD MEMBER. THIS WILL BE THE FLAT SURFACE WHERE THE U-BOLT HOLE IS DRILLED.

* MAXIMUM ALLOWABLE LENGTH IS VARIABLE. A TWO PIECE SHAFT SYSTEM MAY BE NECESSARY.

Please build _____ driveshaft(s) as indicated above. My order should include all items checked on reverse.

Ship via UPS Ground – 1 – 2 – 3

SHIP TO:

(via UPS at cost)

Note: Shipping Address must be a physical location – NOT a P.O. Box

Name _____ Phone No.(____) _____

Address _____

City _____ Province _____ Postal Code _____

METHOD OF PAYMENT

- MY CHECK IS ENCLOSED

X _____

Signature